

Contents

xiii *Conference Committee*

RESEARCH ON OPTOELECTRONIC MATERIALS AND DEVICES

- 13656 02 **K₂SiF₆:Mn⁴⁺,Na⁺@K₂SiF₆ red phosphors for WLEDs with impressive thermal stability and water resistance prepared by surface-coated substrates [13656-30]**
- 13656 03 **Highly doped concentration of Borate red phosphors for white light-emitting diodes [13656-157]**
- 13656 04 **Corrosion resistance study of hyperbranched imidazolium ionic polymers containing PF₆⁻ anions [13656-170]**
- 13656 05 **High absorption efficiency of III-V nanowire array for photodetector [13656-74]**
- 13656 06 **A cost-effective ultra-trace platinum ion optical plasmonic sensor utilizing small molecule imidazoles [13656-133]**
- 13656 07 **Four-sided recessed fiber-optic magnetic field sensor based on surface plasmon resonance [13656-75]**
- 13656 08 **Multiband tunable perfect absorber based on composite polaritons [13656-178]**
- 13656 09 **Monolayer varifocal metalenses with low-loss phase change materials Sb₂S₃ [13656-36]**
- 13656 0A **Improved sparrow search algorithm for PV maximum power point tracking [13656-43]**
- 13656 0B **Fiber optic biosensor based on gold nanoparticle-tagged targets for DNA detection [13656-130]**
- 13656 0C **Fabrication and characterization of liquid crystal planar cylindrical lens array using pulsed polarization lithography [13656-29]**
- 13656 0D **Enhancement of electrohydrodynamic printed PbS quantum dot photodiode performance via solvent engineering [13656-72]**
- 13656 0E **Strain engineering the second-order nonlinearity of flexible DAST composite film [13656-149]**
- 13656 0F **Electric field optimization and performance improvement of SiC multilevel trench JBS diodes with dual P-Well [13656-13]**
- 13656 0G **Laser damage properties of brittle scratches on fused silica optical elements [13656-119]**

- 13656 OH Spectral shaping based on Nd,Y: SrF₂ and Nd,Gd: SrF₂ dual crystals [13656-84]
- 13656 OI High-capacity, ultra-thin, and transparent Zn-MnO₂ supercapacitor based on metallic-mesh electrode [13656-19]
- 13656 OJ High-yield synthesis of Cs₄PbBr₆/CsPbBr₃ perovskite composites with high-fluorescence efficiency at room temperature [13656-158]
- 13656 OK Fiber Bragg grating-based diaphragm pressure sensor [13656-104]
- 13656 OL Osteoporosis characterization with x-ray induced acoustic computed tomography based on linear array [13656-96]
- 13656 OM Exploration and research on inversion techniques for global rainbow phenomena [13656-125]
- 13656 ON Wearable antenna design based on defective ground EBG structure [13656-138]
- 13656 OO MBCRL: a lightweight optical image processing model for imbalanced agricultural pest image recognition [13656-108]
- 13656 OP Research on the improvement of alarm length in distributed optical fiber temperature sensing systems [13656-71]
- 13656 OQ Research on the detection capabilities of low-light imaging systems on rotorcraft UAVs [13656-24]
- 13656 OR Calibration experiment of optimal working voltage of the DKDP polarimeter [13656-99]

OPTICAL FIBER COMMUNICATION AND SENSING TECHNOLOGY

- 13656 OS Nonlinear Sagnac fiber interferometer based on coherent feedback control [13656-6]
- 13656 OT Research on optimization of pulse optical amplification technology in large-scale fiber optical hydrophone demodulation system [13656-160]
- 13656 OU Implementation of a clock synchronization algorithm resistant to dispersion broadening in high-speed communication system [13656-169]
- 13656 OV Design of tunable ring resonators for resonant micro-optical gyroscopes [13656-44]
- 13656 OW Research on the influence of hydrophone diameter on the towed noise of optical fiber hydrophone towed array [13656-73]
- 13656 OX Design of an on-chip automatic power control circuit for hundred-gigabits optical transceiver [13656-70]

- 13656 0Y **The research on adaptive error projecting indication technology for multicurved workpieces** [13656-35]
- 13656 0Z **Fiber modulation transfer spectroscopy for laser stable frequency** [13656-65]
- 13656 10 **Parallel chaos generation via intensity-modulated optical injection for high-speed random bit generation** [13656-26]
- 13656 11 **In-process fiber optic monitoring of optical coating growth** [13656-94]
- 13656 12 **Solutions to the problem of inability to directly measure with Theodolite in spacecraft assembly** [13656-165]
- 13656 13 **Real-time defect detection of photovoltaic panels based on fiber optic chromatic confocal sensor** [13656-88]
- 13656 14 **Sensitivity characterization of surrounding refractive index sensing based on tilted fiber grating cutoff mode** [13656-103]
- 13656 15 **Mechanical analysis and finite element simulation of optical fiber sensor probe** [13656-91]
- 13656 16 **Research on three-dimensional velocity and distance measurement for FMCW LiDAR using multicore fiber** [13656-17]
- 13656 17 **Performance evaluation of different 6mm SiPMs for TOF-PET detectors** [13656-136]
- 13656 18 **Metasurface emitter array enabling mid-infrared spectral sensing** [13656-37]
- 13656 19 **Low-loss edge coupler based on thin-film lithium niobate** [13656-173]
- 13656 1A **Towards intelligent optical communication systems: a data-driven channel estimation design** [13656-86]
- 13656 1B **Enhancing underwater communication with polarized light** [13656-54]
- 13656 1C **Sub-micron pattern methods optimized for GaN epitaxy and Micro-LEDs' LEE** [13656-87]
- 13656 1D **Parameter design of piezoelectric vibrator for dry-coupled ultrasonic sensor** [13656-128]
- 13656 1E **Optimizing wind field retrieval using CNN: a study on continuous scale selection with scatterometer data** [13656-67]
- 13656 1F **A novel design of 2D FBG strain sensor** [13656-95]
- 13656 1G **An FPGA-based high-precision time system for a satellite-borne aerosol monitoring payload** [13656-145]

OPTICAL MEASUREMENT AND IMAGING TECHNOLOGY

- 13656 1H Parametric study of pulsed eddy current detection probes [13656-61]
- 13656 1I Detection of pesticide residue by SERS-based microfluidics [13656-141]
- 13656 1J Preparation of the SERS substrate for pesticide detection by femtosecond laser combined with chemical reaction [13656-15]
- 13656 1K Hyperspectral camouflaged object detection based on dual-branch fusion network [13656-162]
- 13656 1L High-speed transient imaging using a modular stroboscopic illumination system [13656-48]
- 13656 1M Research on the measurement method of infrared emissivity distribution corrected by physical illumination equation [13656-117]
- 13656 1N A computational compensation method for eliminating the interference of aberrations on objective measurement of intraocular scatter [13656-16]
- 13656 1O Phase imaging based on the Extended Nijboer-Zernike theory [13656-49]
- 13656 1P Enhancement of terahertz radiation from hard water by ion-exchange softening [13656-116]
- 13656 1Q Optical film measurement based on optical coherence tomography with Vernier effect [13656-18]
- 13656 1R Infrared gas image simulation based on computational fluid dynamics [13656-20]
- 13656 1S Design of a phase-shifted Bragg grating modulator based on metal dielectric nanowire plasmonic waveguides [13656-112]
- 13656 1T Total cholesterol detection using the joint of ultraviolet, visible, and near infrared spectroscopy with machine learning [13656-11]
- 13656 1U Unified resource detection of quantum entanglement and quantum coherence [13656-77]
- 13656 1V Evaluation of GEMINI 2.0 FLASH THINKING EXP's understanding of CAD drawing: an example [13656-62]
- 13656 1W A high-resolution range profile calculation method for random particle systems based on statistical models [13656-163]
- 13656 1X FPGA design of driving timing for a large-area InGaAs shortwave infrared detector [13656-5]

- 13656 1Y **A flexible and automatic partial triple modular redundancy design based on fault injection simulation result** [13656-59]
- 13656 1Z **Effect of oscillation frequency on the organization and properties of welded joints of 304 stainless steel by laser oscillation welding** [13656-56]
- 13656 20 **Widely tunable narrow-linewidth Ti: sapphire laser with high-repetition-rate** [13656-124]
- 13656 21 **An ultra-low power 4×28Gbps linear optical receiver for short-reach interconnects** [13656-39]
- 13656 22 **Terahertz wave transmission three-dimensional tomography based on a focal plane array detector** [13656-60]
- 13656 23 **Laser ultrasonic method for crystal orientation detection in nickel-based superalloys** [13656-148]

LASER TECHNOLOGY AND APPLICATIONS

- 13656 24 **LD pumped Pr:YLF 360nm laser with 3.6W of CW power** [13656-81]
- 13656 25 **Mosaic aperture telescope deployment light spot simulation using wavefront splitting in low-sampling rate conditions** [13656-3]
- 13656 26 **Assembly error analysis and calibration for optical complex curved surface profile scanning inspection system** [13656-118]
- 13656 27 **Dual-wavelength switchable lasers based on optical parametric oscillations** [13656-129]
- 13656 28 **Research and design of key modules in the readout circuit for 3D laser focal plane** [13656-57]
- 13656 29 **Calibration and application of liquid crystal full-Stokes camera** [13656-28]
- 13656 2A **High-performance yellow fiber laser based on a dysprosium-doped ZBLAN fiber** [13656-132]
- 13656 2B **Portable NDIR carbon dioxide gas sensor with replaceable gas chambers** [13656-107]
- 13656 2C **Behavioral-level modeling and simulation of phase-locked loop applied to 3D laser focal plane readout circuit** [13656-164]
- 13656 2D **Anomalies in terahertz emission from liquid water induced by ultrashort laser pulses** [13656-172]
- 13656 2E **Broadband soliton switchable mode-locked fiber laser** [13656-177]
- 13656 2F **Experimental realization of inverse synthetic aperture Lidar azimuthal imaging** [13656-144]

- 13656 2G **Impact of the stimulated Raman scattering on the high power 50/150 ring mode fiber laser welding** [13656-93]
- 13656 2H **Narrow linewidth operation of a grazing-incidence dye laser with long cavity** [13656-140]
- 13656 2I **Effects of IEC-mode electrostatic-discharge on the performance of GaN-based blue laser devices** [13656-156]
- 13656 2J **Application of UVC-LED technology in surface disinfection cabinets for small medical devices** [13656-109]
- 13656 2K **Accurate collimation measurement of the torsion angle based on the image rotation of right-angle prism** [13656-155]
- 13656 2L **Research on thermal shield structure for electron sources in electric propulsion** [13656-152]
- 13656 2M **Investigation of the reaction kinetics of HTPB/AP/Al composites at high-heating rate** [13656-97]
- 13656 2N **Infrared dim and small target detection algorithm based on improved Swin Transformer** [13656-58]

OPTOELECTRONIC INFORMATION PROCESSING AND SYSTEM DESIGN

- 13656 2O **An anti-jamming method for intersection coplanar photoelectric target** [13656-174]
- 13656 2P **Exploration of a scanning system based on phase-modulated Lidar** [13656-51]
- 13656 2Q **Underwater 3D reconstruction technology based on structured light** [13656-47]
- 13656 2R **Gas pipeline signal recognition method based on shared convolution reparameterization lightweight algorithm for DAS** [13656-1]
- 13656 2S **Self-focusing of partially coherent pulsed beams with Lorentz non-uniform correlation** [13656-34]
- 13656 2T **Perimeter security intrusion recognition method for distributed optical fiber vibration sensing system based on CBAM-ResNet** [13656-171]
- 13656 2U **Research on the femtosecond laser machining process of conical holes in quartz glass by rotary cutting** [13656-14]
- 13656 2V **Feasibility verification on the applying of 2A frequency conversion dimming technology in the light guidance circuit** [13656-68]
- 13656 2W **Fast XGBoost model-based intracranial hemorrhage research on detection** [13656-46]

- 13656 2X **Research on optical inspection alignment system for semiconductor packaging printing machine** [13656-106]
- 13656 2Y **CO₂ gas temperature measurement based on dual comb spectroscopy with Voigt linear fitting using L-M algorithm** [13656-38]
- 13656 2Z **Tunable infrared metasurface lens based on stretching deformation** [13656-113]
- 13656 30 **TargetGen: integrating target detail features for accurate image generation** [13656-146]
- 13656 31 **An integrated sensor-memory-computing CMOS image sensor with convolution computing capability** [13656-166]
- 13656 32 **Remote excitation and enhancement effect of fluorescent molecules** [13656-10]
- 13656 33 **Design of a two-color interferometer system on EAST** [13656-105]
- 13656 34 **Wearable EMG-Optics multimodal sensing system for abnormal gait recognition** [13656-8]
- 13656 35 **Few-mode fiber mode decomposition based on constraint-aware convolutional neural networks** [13656-12]
- 13656 36 **Development of a micro-Michelson interferometer with fiber optic sensing** [13656-79]
- 13656 37 **A novel fiber optic humidity sensor based on Mach-Zehnder interference and peanut structure** [13656-31]
- 13656 38 **Research on QSFP28 100Gbit/s SR BiDi optical module based on QSFP package** [13656-120]
- 13656 39 **Coaxial four reflection dual band wide field of view optical system** [13656-55]
- 13656 3A **The route for generating flat-top beam from all-fiber random laser** [13656-135]
- 13656 3B **Long-distance duplexing underwater wireless optical communication with a dual-band photon-counting system** [13656-131]

ADVANCED OPTOELECTRONIC TECHNOLOGIES AND CROSS-DISCIPLINARY APPLICATIONS

- 13656 3C **Quick and efficient method for identification of Dalbergia wood by GC-MS fingerprint** [13656-100]
- 13656 3D **Design and research of a diabetic foot treatment device based on deep composite spectrum** [13656-167]

- 13656 3E **Comparative selection and application of solar cell photovoltaic modules for water plants** [13656-150]
- 13656 3F **Multiband selective absorber for laser-infrared stealth** [13656-27]
- 13656 3G **A compact wideband curved microstrip antenna array for generation of multimode OAM** [13656-90]
- 13656 3H **Solar cooling glass based on the Peltier effect: a new building energy-saving solution** [13656-50]
- 13656 3I **Research on the simulation method of multicolor temperature star charts based on OLEDs** [13656-64]
- 13656 3J **High signal-noise ratio and low crosstalk black silicon quadrant photodetector** [13656-40]
- 13656 3K **Assembly technology and application of solar thermal heliostat** [13656-82]
- 13656 3L **Research on CO₂ gas sensor and concentration inversion algorithm based on non-resonant photoacoustic spectroscopy** [13656-126]
- 13656 3M **Static optical sorting of microparticles using the J₀ Bessel beam generated by cross-phase modulation** [13656-122]
- 13656 3N **An intelligent heuristic detection algorithm for reflection analysis using terahertz time-domain spectroscopy** [13656-92]
- 13656 3O **A Bayesian mixed-effects model for multilayer thickness analysis using terahertz time-domain spectroscopy** [13656-111]
- 13656 3P **Larger-range phase reconstruction of dual-wavelength digital holography based on shorter synthetic wavelength and linear programming** [13656-25]
- 13656 3Q **Design of particle concentration monitoring device based on light scattering method** [13656-32]
- 13656 3R **Technology of high-performance infrared detectors and its aerospace applications** [13656-22]
- 13656 3S **Research on image motion compensation model and error analysis for remote sensing imaging with TDI technology** [13656-21]
- 13656 3T **Effect of LED red and blue light ratios on post-harvest grape quality** [13656-45]
- 13656 3U **Iteratively weighted centroiding for edge-based modulation transfer function measurement method** [13656-168]

- 13656 3V **High-speed multichannel synchronous acquisition system for wafer defect detection system** [13656-127]
- 13656 3W **Adaptive threshold-based spectral separation method in adaptive optics** [13656-123]
- 13656 3X **High-efficiency multipass cell pulse compression via spatiotemporal synergetic control** [13656-7]
- 13656 3Y **A large-format framing tube** [13656-98]
- 13656 3Z **Research on intelligent unmanned aircraft system based on multisensor sensing and its application in fault diagnosis of mountainous photovoltaic modules** [13656-147]